

## Post-traumatic Stress Disorder

Ros, T. et al. Neurofeedback Tunes Scale Free Dynamics in spontaneous Brain Activity. *Cerebral Cortex*. 2016 Sep 12.

Nicholason,A.A. et al. Alpha oscillation neurofeedback modulates amygdala complex connectivity and arousal in posttraumatic stress disorder. *Neuroimage Clin*. 2016 Jul 14;12,506-516

Tursich,M. et al. Distinct intrinsic network connectivity patterns of post-traumatic stress disorder symptom clusters. *Acta Psychiatr Scand*. 2015 Jul;132(1)29-38

Kluetsch.R.C. et al. Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. *Acta Psychiatr Scand*. 2014 Aug; 130(2),123-136

Van der Kolk, B.A. et al. A randomized controlled study of neurofeedback for chronic PTSD. *PLOS ONE* 2016, Dec 1-18.

Clancy, K. et al. Restless 'rest': intrinsic sensory hyperactivity and disinhibition in post-traumatic stress disorder. *Brain* 2017, June 3, doi 10.1093.

Olson,E.A. et al. Disruption of white matter structural integrity and connectivity in posttraumatic stress disorder: A TBSS and tractography study. *Depress Anxiety* 2017 May;34(5):437-445.

Falconer, E. et al. The neural networks of inhibitory control in posttraumatic stress disorder. *J Psychiatry Neurosci* 2008 Sep; 33(5): 413-422.