

## **Traumatic Brain Injury and Concussion**

Prognostic value of electroencephalography (EEG) for brain injury after cardiopulmonary resuscitation.

Neurol Sci. 2016 Jun;37(6),843-849

Simkin, D.R., Thatcher, R.W., Lubar, J. Quantitative EEG and neurofeedback in children and adolescents: anxiety disorders, depressive disorders, comorbid addiction and attention-deficit/hyperactivity disorder, and brain injury. Child and Adolesc Psychiatr Clin N Am. 2014 Jul;23(3),427-464

Smith, A.M. et al. Concussion in Ice Hockey: Current Gaps and Future Directions in an objective Diagnosis. Clin J Sport Med. 2017 Jan 10, 1097

Schmitt, S., Dichter, M.A. Electrophysiologic recordings in traumatic brain injury. Handb Clin Neurol. 2015; 127,319-339

Kontos, A.P. et al. Preliminary evidence of reduced brain network activation in patients with posttraumatic migraine following concussion. Brain Imaging Behaviour. 2016 Jun; 10(2), 594-603

Prichep, L.S. et al. Identification of hematomas in mild traumatic brain injury using an index of quantitative brain electrical activity. J Neurotrauma. 2015 Jan 1;32(1),17-22

Nelson, D.V., Esty, M.L. Neurotherapy for chronic headache following traumatic head injury. Mil Med Res. 2015;2:22.